



# BBT ANTENNAS INC

Model NO: BBT-0327CL0204H-235

Type : Ceiling Antenna

Application:

★For indoor distributed wireless coverage system ( For indoor DAS )

★Support GSM、CDMA、3G、4G- LTE、 Wireless system

Features:

★Wide bandwidth,Low VSWR, stable performance,Omnidirectional

★Small size, attractive appearance

★Regular ceiling installation, use conveniently




Specifications:

Electrical			
Model Number	BBT-0327CL0204H-235		
Frequency Range	330-380MHz	698-960 MHz	1710-2700 MHz
Polarization Type	Horizontal		
Gain	2dBi	2dBi	4dBi
3dB Beam-Width. H-Plan	360°		360°
3dB Beam-Width. E-Plan	80°		60°
VSWR	≤2.5	≤1.8	≤1.8
Intermodulation IM3(2*43dBmcarrier)	≤-150dBc		
Input Impedance	50Ω		
Max Input Power.	50W		
Lightning Protection	DC Grounded		
Mechanical			
Connector Type	N-Type Female		
Cable	SFF-50-3		



Cable length	30cm
Dimensions H*W*D (mm)	Φ235*10(mm)
Radome Material	ABS
Radome color	White
Operating Temperature Rang	-40°C/+60°C

VSWR:





Radiation Pattern:

330-380MHZ、698-960MHZ



1710-2700MHZ



---

# BBT ANTENNAS INC

Tel:(8620)38867118 Fax:(8620)38860481 <http://www.bbtantennas.com>