



# BBT ANTENNAS INC

Model NO: BBT-0727CL0204V

Type : Ceiling Antenna

Application:

- ★For indoor distributed wireless coverage system ( For indoor DAS )
- ★Support GSM、CDMA、3G、4G-LTE Wireless system



Features:

- ★Wide bandwidth,Low VSWR, stable performance,Omnidirectional
- ★Small size, attractive appearance
- ★Regular ceiling installation, use conveniently


Electrical		
Model Number	BBT-0727CL0204V	
Frequency Range	790-960MHz	1710-2700MHz
Polarization Type	Vertical	
Gain	2.15dBi	4dBi
3dB Beam-Width. H-Plan	360°	360°
3dB Beam-Width. E-Plan	80°	60°
VSWR	≤1.8	
Intermodulation IM3(2*43dBmcarrier)	≤-150dBc	
Input Impedance	50Ω	
Max Input Power.	20W	
Lightning Protection	DC Grounded	
Mechanical		
Connector Type	2*N-Type Female	
Cable	SFF-50-3	
Cable length	30cm	
Dimensions H*W*D (mm)	Φ225*35(mm)	

Radome Material	ABS
Radome color	White
Operating Temperature Rang	-40°C/+60°C

Sp  
eci



fications:

VSWR:





Radiation Pattern:

790-960MHZ



1710-2700MHZ



Tel:(8620)38867118 Fax:(8620)38860481 <http://www.bbtantennas.com>