



# BBT ANTENNAS INC

Model NO: BBT-0638WL0609V090

Type :Wall mount Antenna

Application:

- ★Support 4G、 5G communication system
- ★For indoor DAS coverage system

Features:

- ★Broadband,Low VSWR, good performance
- ★Small size
- ★Wall mounting , install and use conveniently







Specifications:

Electrical			
Model Number	BBT-0638WL0609V090		
Frequency Range	698-960MHz	1710-2700MHz	3300-3800MHz
Polarization Type	Vertical		
Gain	6dBi	9dBi	9dBi
3dB Beam-Width. H-Plan	90°	75°	75°
3dB Beam-Width. E-Plan	75°	55°	55°
VSWR	≤1.5	≤1.5	≤1.5
Front to Back Ratio(dB)	≥15dB	≥15dB	≥15dB
Input Impedance	50Ω		
Max Input Power.	50W		
Mechanical			
Connector Type	N- Female		
Cable	RG58U		
Cable length	25cm		
Dimensions H*W*D (mm)	165*155*50 (mm)		
net weight	0.35kg		
Radome Material	ABS		
Radome color	white		
Operating Temperature Rang	-40°C/+60°C		

# Radiation Pattern:

698-960MHz



1710-2700MHz、3300-3800MHz

---

# BBT ANTENNAS INC

Tel: (+86) 0757-66898899 <http://www.bbtantennas.com>