



BBT ANTENNAS INC

Model NO: BBT-0638WL0608V090

Type : Wall mount Antenna

Application:

- ★Support 4G、5G communication system
- ★For indoor DAS coverage system

Features:

- ★Broadband,Low PIM,Low VSWR, good performance
- ★Small size ,Attractive appearance
- ★Wall mounting , install and use conveniently







Specifications:

Electrical			
Model Number	BBT-0638WL0608V090		
Frequency Range	698-960MHZ	1710-2700MHZ	3300-3800MHZ
Polarization Type	Vertical		
Gain	6dBi	9dBi	8dBi
3dB Beam-Width. H-Plan	90°	75°	60°
3dB Beam-Width. E-Plan	80°	55°	40°
VSWR	≤1.5	≤1.5	≤1.7
Intermodulation IM3(2*43dBmcarrier)	≤-150 dBc		
Front to Back Ratio(dB)	≥16dB	≥20dB	≥16dB
Input Impedance	50Ω		
Max Input Power.	50W		
Mechanical			
Connector Type	N-Female		
Cable	SFF-50-3		
Cable length	25cm		
Dimensions H*W*D (mm)	180*158*66(mm)		
Radome Material	ABS		
Radome color	White		

Radiation Pattern:

698-960MHZ



1710-2700MHZ

3300-3800MHZ

